



**Trust Clean
Technology Co., Ltd**

Powering precision and purity in vacuum solutions.



VACUUM VALVES


www.trustclean-tech.com



Trust Clean Technology Co., Ltd

Powering precision and purity in vacuum solutions.

Series	Photo	Options	Details
Angle/ Inline Valve (VP/VY Series)		<ul style="list-style-type: none"> Flange: ISO-KF, ISO-K, CF-R Sizes: DN. 16mm to 250mm 	<ul style="list-style-type: none"> High Vacuum (10^{-4} - 10^{-8}) Material: Stainless Steel High Conductance Type Strokes: 100% Manual Pneumatic Actuation Angle/ Inline Valve with Welded Bellows Feedthrough
Angle/ Inline Valve (VP/VY Series)		<ul style="list-style-type: none"> Flange: ISO-KF, ISO-K, CF-R Sizes: DN. 16mm to 250mm 	<ul style="list-style-type: none"> High Vacuum (10^{-4} - 10^{-8})/ Ultra High Vacuum (10^{-9} - 10^{-12}) Material: Stainless Steel Standard Type Strokes: 55% Manual Pneumatic Actuation Angle/ Inline Valve with Welded Bellows Feedthrough





Door Valve (VD Series)		<ul style="list-style-type: none"> Material: Aluminum/ Stainless Steel Sizes: DN.46*236mm, 50*336mm, 56*496mm , or Customizable 	<ul style="list-style-type: none"> High Vacuum (10^{-4} - 10^{-8}) Single Piece Type Pneumatic Actuation SEMI Interface Flange Door Valve with Shaft Feedthrough and O-ring Made of FKM (Viton®)
---------------------------	---	---	---



Trust Clean Technology Co., Ltd

Powering precision and purity in vacuum solutions.



Series	Photo	Options	Details
Rectangular Valve (VR Series)		<ul style="list-style-type: none"> Material: Aluminum, Stainless Steel Sizes: DN.46*236mm, 50*336mm, 56*496mm, or Customizable 	<ul style="list-style-type: none"> High Vacuum (10^{-4} - 10^{-8}) SEMI Interface Flange Single Piece Type Pneumatic Actuation Transfer Valve with Welded Bellows Feedthrough and O-ring Made of FKM (Viton®)
Gate Valve (VG Series)		<ul style="list-style-type: none"> Flange: ISO-KF, ISO-F, JIS, DIN insert Sizes: DN. 63mm to 320mm 	<ul style="list-style-type: none"> High Vacuum (10^{-4} - 10^{-8}) Material: Aluminum Linear Type Manual, Pneumatic Actuation Gate Valve with Shaft Feedthrough and O-ring Made of FKM (Viton®)
Gate Valve (VG Series)		<ul style="list-style-type: none"> Flange: ISO-KF, ISO-F, JIS, DIN insert Sizes: DN. 63mm to 320mm 	<ul style="list-style-type: none"> High Vacuum (10^{-4} - 10^{-8})/ Ultra High Vacuum (10^{-9} - 10^{-12}) Material: Stainless Steel Standard Type Manual, Pneumatic Actuation Gate Valve with Shaft Feedthrough or Bellows and O-ring Made of FKM (Viton®)



Trust Clean Technology Co., Ltd


Powering precision and purity in vacuum solutions.

CONTACT US!

 (+886)4-2359-7151

 (+886)4-2359-5838

 sales1@trustclean-tech.com

 No.13, 24th Road,
Industrial Area,
Taichung 40850,
Taiwan

www.trustclean-tech.com